

What we do?

We offer the widest market range of boxes and cabinets.

Electricity, water, gas, telecommunication, and lighting enclosures

Assembled electrical equipment meeting the requirements of electrical distribution companies

We offer innovative solutions to professionals with a real value added in quality, design, and innovation.

This year we introduce our big product novelties, is the outcome of a strong investment in Research and Development.



New bres: Double isolated cabinets



Conection boxes: Watertight boxes



New range of luminaries
Watertight, embedded, and emergency



NH housefuse
type BUC
size 00-1-2





safybox CA

Double Insulation box IP66
Biggest range of sizes and accessories
Great impact resistance IK10
Easy installation modular system

References

TRANSP LID	DIMENSIONS	OPAQUE LID	DIMENSIONS
CA-1515	135x135x130	CA-1515s	135x135x130
CA-215	180x135x130	CA-215s	180x135x130
CA-220	180x180x130	CA-220s	180x180x130
CA-315	270x135x130	CA-315s	270x135x130
CA-32	270x180x170	CA-32s	270x180x170
CA-33	270x270x170	CA-33s	270x270x170
CA-42	360x180x170	CA-42s	360x180x170
CA-43	360x270x170	CA-43s	360x270x170
CA-43a	360x270x205	CA-43as	360x270x205
CA-44	360x360x170	CA-44s	360x360x170
CA-44a	360x360x205	CA-44as	360x360x205
CA-63	540x270x170	CA-63s	540x270x170
CA-63a	540x270x205	CA-63as	540x270x205
CA-64	540x360x170	CA-64s	540x360x170
CA-64a	540x360x205	CA-64as	540x360x205
CA-66	540x540x170	CA-66s	540x540x170
CA-66a	540x540x205	CA-66as	540x540x205
CA-84a	720x360x205	CA-84as	720x360x205
CA-86a	720x540x205	CA-86as	720x540x205

UE
2

more than 200 types of

safybox BRES

High quality range of polyester wall mounting enclosures.
IP66 waterproof, many industrial applications, non metallic parts, easy to drill.
Impact strength IK10, available in two versions. Internal door, 3 point locking system
With standard lock or swinging handle.



References

CODE	DIMENSIONS	DESCRIPTION
BRES-325	300x250x140	POLYESTER IP-65 ENCLOSURE PLAIN DOOR
BRES-43	400x300x200	POLYESTER IP-65 ENCLOSURE PLAIN DOOR
BRES-44	400x400x200	POLYESTER IP-65 ENCLOSURE PLAIN DOOR
BRES-54	500x400x200	POLYESTER IP-65 ENCLOSURE PLAIN DOOR
BRES-64	600x400x230	POLYESTER IP-65 ENCLOSURE PLAIN DOOR
BRES-65	600x500x230	POLYESTER IP-65 ENCLOSURE PLAIN DOOR
BRES-86	800x600x300	POLYESTER IP-65 ENCLOSURE PLAIN DOOR
BRES-325P	300x250x140	POLYESTER IP-65 ENCLOSURE GLAZED DOOR
BRES-43P	400x300x200	POLYESTER IP-65 ENCLOSURE GLAZED DOOR
BRES-44P	400x400x200	POLYESTER IP-65 ENCLOSURE GLAZED DOOR
BRES-54P	500x400x200	POLYESTER IP-65 ENCLOSURE GLAZED DOOR
BRES-64P	600x400x230	POLYESTER IP-65 ENCLOSURE GLAZED DOOR
BRES-65P	600x500x230	POLYESTER IP-65 ENCLOSURE GLAZED DOOR
BRES-86P	800x600x300	POLYESTER IP-65 ENCLOSURE GLAZED DOOR

of enclosures available



safybox ART

New advanced desing IP43
Modularity with plinth optional
Wide outdoor applications
Door with 3 action lock system
Natural ventilation.
Excellent all round surface finish
Strength impact protection IK10

References

CODE	DIMENSIONS	DESCRIPTION
ART-55	500x500x300	OUTDOOR FLOOR CABINET IP-43 WITH ROOF
ART-57	500x750x300	OUTDOOR FLOOR CABINET IP-43 WITH ROOF
ART-75	750x500x300	OUTDOOR FLOOR CABINET IP-43 WITH ROOF
ART-77	750x750x300	OUTDOOR FLOOR CABINET IP-43 WITH ROOF
ART-107	1000x750x300	OUTDOOR FLOOR CABINET IP-43 WITH ROOF
F1-500	750x500x300	POLYESTER PEDESTAL
F1-750	750x750x300	POLYESTER PEDESTAL
F2-500	1000x500x300	POLYESTER PEDESTAL
F2-750	1000x750x300	POLYESTER PEDESTAL
AT-675	780X535X180	TELECOMMUNICATION CABINET



also complete equipments for

safybox APM

Aesthetic uniformity IP43
Innovate and attractive desing
Reinforced structure IK10 to prevent deformation.
180° door opening.
Three point lock system and padlocking.



References

CODE	DIMENSIONS	DESCRIPTION
APM-0	450x330x210	OUTDOOR ENCLOSURE IP-43 EMBED - SIMPLE LOCK
APM-1	535x520x220	OUTDOOR ENCLOSURE IP-43 EMBED - SIMPLE LOCK
APM-2	700x520x220	OUTDOOR ENCLOSURE IP-43 EMBED - SIMPLE LOCK
APM-0/2ml	450x330x210	OUTDOOR ENCLOSURE WITH 2 VIEWING PORT
APM-1/1ml	535x520x220	OUTDOOR ENCLOSURE WITH 1 VIEWING PORT
APM-1/2ml	535x520x220	OUTDOOR ENCLOSURE WITH 2 VIEWING PORT
APM-2/2ml	700x520x220	OUTDOOR ENCLOSURE WITH 2 VIEWING PORT
APM-2/3ml	700x520x220	OUTDOOR ENCLOSURE WITH 3 VIEWING PORT
APM-0-c	450x330x210	OUTDOOR ENCLOSURE IP-43 ENBED - TRIPLE LOCK
APM-1-c	535x520x220	OUTDOOR ENCLOSURE IP-43 ENBED - TRIPLE LOCK
APM-2-c	700x520x220	OUTDOOR ENCLOSURE IP-43 ENBED - TRIPLE LOCK
H20-0	450x330x210	ENCLOSURE FOR WATER EQUIPMENTS
H20-AL-T	450X300X120	SLIM ENCLOSURE FOR WATER EQUIPMENTS
GAS-0-V-C	350X480X193	VERTIAL ENCLOSURE FOR WATER-GAZ EQUIPMENTS
M-H20-0-S	535x520x220	ENCLOSURE TRIPLE LOCK & 2 VIEWING PORT
A-H2O	700x520x220	MANHOLE COVER FOR WATER METERS (12.5 TONS)

or energy distribution utilities





Luminaires

Customized range of luminaires with a practical and solid design. they are made in polycarbonate or metacrilate. for use in car garages, industries or offices. IP55 1k06. Ferromagnetic ballast or electronic under demand.

References

CODE	DIMENSIONS	DESCRIPTION
ATE-P-1X18W	666x115X101	OUTDOOR LUMINAIRE IP65 TYPE I 1X18W
ATE-P-1X36W	1272x115x101	OUTDOOR LUMINAIRE IP65 TYPE I 1X36W
ATE-P-1X58W	1576X115x101	OUTDOOR LUMINAIRE IP65 TYPE I 1X58W
ATE-P-2X18W	666x115X101	OUTDOOR LUMINAIRE IP65 TYPE I 2X18W
ATE-P-2X36W	1272x115x101	OUTDOOR LUMINAIRE IP65 TYPE I 2X36W
ATE-P-2X58W	1576X115x101	OUTDOOR LUMINAIRE IP65 TYPE I 2X58W
ATE-M-1X18W	666x115X101	OUTDOOR LUMINAIRE IP65 TYPE I 1X18W
ATE-M-1X36W	1272x115x101	OUTDOOR LUMINAIRE IP65 TYPE I 1X36W
ATE-M-1X58W	1576X115x101	OUTDOOR LUMINAIRE IP65 TYPE I 1X58W
ATE-M-2X18W	666x115X101	OUTDOOR LUMINAIRE IP65 TYPE I 2X18W
ATE-M-2X36W	1272x115x101	OUTDOOR LUMINAIRE IP65 TYPE I 2X36W
ATE-M-2X58W	1576X115x101	OUTDOOR LUMINAIRE IP65 TYPE I 2X58W
ADAAR4X18P	598X639X101	INDOOR LUMINAIRE IP20 PARABOL REFLECT
ADAAR4X18R	598X639X101	INDOOR LUMINAIRE IP20 LINE REFLECTOR
ADAAR4X18L	598X639X101	INDOOR LUMINAIRE IP20 FLAT REFLECTOR



We help to keep

Emergency

Customized range of emergency luminaires made in polycarbonate with an autonomy of up to 3 hours and a consumption < 17ma
24h charge time, Ip20 EN60598-2-22



References

CODE	DIMENSIONS	DESCRIPTION
EI01	316x75X76	LUMINAIRE IP20 INCANDESCENT 2X1.62W
EIPO02	316x75X76	LUMINAIRE IP20 INCANDESCENT 2X1.62W/2X3.20W
EF05	316x75X76	LUMINAIRE IP20 FLUORESCENT 8W
EFPO6/2E	316x75X76	LUMINAIRE IP20 FLUORESCENT 8W / 8W
EIFPO6	316x75X76	LUMINAIRE IP20 FLUOR 8W / INCANDES 2X3.2W
EI02S	334x153X55	SLIM LUMINAIRE IP20 INCANDESCENT 2X1.62W
EI04S	334x153X55	SLIM LUMINAIRE IP20 INCANDESCENT 4X1.62W
EIPO2S	334x153X55	SLIM LUMINAIRE IP20 INCAND 2X1.62W / 1X4.8W
EIPO4S	334x153X55	SLIM LUMINAIRE IP20 INCAND 4X1.62W / 1X4.8W
EF01S	334x153X55	SLIM LUMINAIRE IP20 FLUORESCENT 8W
EFPO1S	334x153X55	SLIM LUMINAIRE IP20 FLUORESCENT 8W / 8W
EIFPO1S	334x153X55	SLIM LUMINAIRE IP20 FLUOR 8W/INCANDES 1X4.8W
KIT-K2		EMERGENCY KIT LIGHTING FLUORESCENT 4W-58W

ep your light on





safybox CE

Wide range of light watertight boxes in ABS for outdoor use IP 65 IK08 (-5 to +60) They have been made in very different sizes to meet any special requirement of your equipment's protection

References

CODE	DIMENSIONS	DESCRIPTION
C100	62x62x43	IP40 Polystyrene flush munting junction box
C101	62x62x62	IP40 Polystyrene flush munting junction box
C102	93x93x42	IP40 Polystyrene flush munting junction box
C103	47x47x34,5	IP40 Polystyrene flush munting junction box
C51	80x80x42	IP65 ABS surface junction box
C52	120x100x60	IP65 ABS surface junction box
C53	160x120x70	IP65 ABS surface junction box
C54	200x170x80	IP65 ABS surface junction box
CEG80x80	80x80x40	IP54 ABS surface junction box
CEG100x100	100x100x56	IP54 ABS surface junction box
CEG110x150	110x150x68	IP54 ABS surface junction box
CEG135x160	135x160x78	IP54 ABS surface junction box
CEG170x220	170x220x88	IP54 ABS surface junction box
CMT	98x182x76	IP43 Junction box for earth connection



We help to keep

Metering box

Light outdoor embedded box range IP65 IK 09 (-25 +60). These products have been designed for the installation of 1 or 3 phase meters. Internal window and base plate for standard meters included.



References

CODE	DIMENSIONS	DESCRIPTION
C2CM	241x375x187	IP44 polyester cabinet with window on door
CCM	270x270x165	IP65 ABS box. Clear lid
CCM-TO	270x270x165	IP65 ABS box. Opaque lid
CCM-TO-DB	270x270x165	IP65 ABS box. Clear lid and hinges
CCM2	270x270x165	IP65 ABS box. Opaque lid + window
CCMT	360x270x195	IP54 polybox. Opaque lid+small window hinged door
CCMT-M	360x270x195	IP54 polybox. Opaque lid + large window
CCMT2	400x310x190	IP66 polybox Hinged door -internal opaque lid with window
CCTP	490x320x210	IP66 polybox hinged door -internal opaque lid with window
CCT	540x270x170	IP65 polyester box. Clear lid
CCT-TO	540x270x200	IP54 polyester box. Opaque lid + window
CTT	735x555x215	IP65 polyester metering cabinet with 2 windows on door
CAD	300x452x132	IP43 polyester cabinet. Flush mounting. Without lock
CAD-F	300x452x132	IP43 polyester cabinet. Flush mounting. With lock

you switched on





safybox TR

Manhole Covers multiple applications
250x250mm or 400x400 impact re-
sistant 2,5 or 4 tons, made in polyester
reinforced, allen screws



safybox ICP

Boxes for Magnetothermal switch
High ABS thermoplastic Complete ran-
ge IP41 Flush or embedded modular
system IK08



safybox BUC

General protection distribution Lines
and Metering boxes Maximum security
fuse holder NH-00-1-2 NHC single
pole fuse holders, BTVC 3 pole vertical
fuse holders Trouble free connection &
disconnection status while charged

UE
10

more types of box

Utilities

Complete electrical equipments customized according the requirements of the electrical utilities.



Panel Meters

Assemblies of enclosures for panels, meters and boards.



Other applications

Boxes and cabinets equipped for photovoltaic installations, construction sites cabinets and other applications.




xes in our website





safybox H2O

Polyester enclosures for water distribution and water meters: embedded, surface or floor installations.



safybox GAS

More boxes and cabinets for gas distribution, valves and meters. Many sizes and types available.



safybox TELECOM

Special designed telecom cabinet for telephone applications plus many other boxes for these purposes.



Safety by Desing